

# Wristband

## Transponder

### Special Form

**PART ID:**  
**1018-01-802-00**

The Combi Wristband Tag with multi read/write capability resembles

#### Main Specifications

Material	ABS/TPU
Operating Temperature	-25°C to 85°C
IP Class	IP67
Compliance	RoHs & Reach, CE
Key Features	High Durability, Rough Environment, Versatile
Options	Color



#### Chip Specification (Chip 802)

Chip	Alien - ICode SLIX + Higgs 3
Frequency	13.56 MHz, 860~960 MHz ( HF UHF )
Memory	
Norm	ISO 18000-63 / EPC Gen2 V2, ISO 15693

#### Full Specifications

Product ID	1018
Name	Wristband
Material	ABS/TPU
Shape	Ultrasonic Welded
Short Description	The Combi Wristband Tag with multi read/write capability resembles
Long Description	The Combi Wristband Tag with multi read/write capability resembles Wrist watch in shape and is elegant in look. Dust & water proof. Soft and non allergic to skin.
Key Features	High Durability, Rough Environment, Versatile
Options	Color
Article Type	Special Form
Color	Blue
Length [mm]	45.1
Width [mm]	40

Thickness [mm]	12.8
Weight [g]	26
Operating Temp °C (min)	-25
Operating Temp °C (max)	85
Storage Temp °C (min)	-25
Storage Temp °C (max)	85
IP Class	IP67
Chemical Resistance	Not Specified
Flame Resistance	Not Specified
Mechanical Resistance	Not Specified
Attachment Method	Strap
Compliance	RoHs & Reach, CE

VARIANTS AND ICS

ID	Variant	Band	Type	ISO
1018-01-802-00	233x40x13mm		ICode SLIX + Higgs 3	ISO 18000-63 / EPC Gen2 V2, ISO 15693

®TECTUS reserves the right to change any information or data in this document without prior notice. The distribution and the update of this document is not controlled. TECTUS declines all responsibility for the use of products with any other specifications but the ones mentioned above. Any additional requirement for a specific customer application has to be validated by the customer himself at his own responsibility. Where application information is given, it is only advisory and does not form part of the specification.