

Transponder

ISO Card

PART ID:

1055-01-206-00

These cards combine innovative printing and radio frequency identification (RFID) technologies with industry-leading knowledge in the production of secure identity components and solutions. Proven processes and automated manufacturing ensure efficient and cost-effective production of high quality cards. ISO cards are used in billions around the world, ranging from simple, non-technology printed loyalty cards to highly secure access control, payment or citizen ID cards. ISO 7816 Compliant



Main Specifications

Material	PVC+PETF
Operating Temperature	-35°C to 70°C
IP Class	IP68
Compliance	RoHs & Reach, CE
Key Features	High Quality Card, High-Resolution Print, Cost-Effective, Heat Tolerant
Options	Laser Engraving, Logo, UID Printing, Dual Frequency On Request

Chip Specification (Chip 206)

Chip	NXP - MIFARE Classic EV1 1K
Frequency	13.56 MHz (HF)
Memory	UID 4/7 Byte; User 1K Byte
Norm	ISO/IEC 14443A & 18000-3

Full Specifications

Product ID	1055
Material	PVC+PETF
Shape	Laminated
Long Description	These cards combine innovative printing and radio frequency identification (RFID) technologies with industry-leading knowledge in the production of secure identity components and solutions. Proven processes and automated manufacturing ensure efficient and cost-effective production of high quality cards. ISO cards are used in billions around the world, ranging from simple, non-technology printed loyalty cards to highly secure access control, payment or citizen ID cards. ISO 7816 Compliant
Key Features	High Quality Card, High-Resolution Print, Cost-Effective, Heat Tolerant

Options	Laser Engraving, Logo, UID Printing, Dual Frequency On Request
Comments	Magnet Stripes: HiCo: 2750o.e. / 4000o.e. (3600o.e.) LoCo: 300o.e. / 650o.e.
Main Use	Access Control
Article Type	ISO Card
Color	White
Length [mm]	85.6
Width [mm]	54
Thickness [mm]	0.8
Weight [g]	6
Operating Temp °C (min)	-35
Operating Temp °C (max)	70
Storage Temp °C (min)	-40
Storage Temp °C (max)	100
IP Class	IP68
Chemical Resistance	Not Specified
Flame Resistance	Not Specified
Mechanical Resistance	Not Specified
Attachment Method	Card Holder
Compliance	RoHs & Reach, CE

VARIANTS AND ICS

ID	Variant	Band	Type	ISO
1055-01-152-00	ISO Card	LF	EM4200/Unique	ISO/IEC 11784/85 Compatible
1055-01-206-00	ISO Card	HF	MIFARE Classic EV1 1K	ISO/IEC 14443A & 18000-3
1055-01-260-00	ISO Card	HF	ICODE SLIX	ISO/IEC 15693 & 18000-3
1055-01-349-00	ISO Card	UHF	Higgs 3	ISO 18000-6C / EPC Gen2 V2